

PUBLICATIONS BY ANTONIO LANTERI

RESEARCH PAPERS

preprints

Hilbert curves of scrolls over threefolds, (with M. L. Fania), Preprint, 2022.

Hilbert curves of quadric fibrations over smooth surfaces, (with M. L. Fania), Preprint, 2021.

Some Fano manifolds whose Hilbert polynomial is totally reducible over \mathbb{Q} , (with A. L. Tironi), Preprint, 2021.

to appear and published since 1990

The main component of a reducible Hilbert curve of conic fibrations, (with M. L. Fania), J. Korean Math. Soc. **58** (2021), 1211–1226, DOI: 10.4134/JKMS.j200534.

On the structure of generalized polarized manifolds with relatively small second class, (with A. L. Tironi), Tokyo J. Math. **44** (2021), 417–438, DOI: 3836/tjm/1502179348.

Generalized polarized manifolds with low second class, (with A. L. Tironi), Hiroshima Math. J. **51** (2021), 301–334, DOI: 10.32917/h:2020070.

Some properties of rational conic fibrations, (with R. Mallavibarrena), Beitr. Algebra Geom. **63** (2022), 133–147, DOI: 10.1007/s13366-020-00555-y.

Characterizing some polarized Fano fibrations via Hilbert curves, (with A. L. Tironi), J. Algebra Appl. **21** (2022); art. 2250046 (26 pages), DOI:10.1142/S5021949882500463.

Hilbert curves of conic fibrations over smooth surfaces, (with M. L. Fania), Comm. Algebra **49** (2021), 545–566, DOI:10.1080/00927872.2020.1807022.

Projective bundles enveloping rational conic fibrations, (with R. Mallavibarrena), J. Pure Appl. Algebra **224** (2020), art. 106429 (21 pages), DOI:10.1016/j.jpaa.2020.106429.

Rational conic fibrations of sectional genus two, (with R. Mallavibarrena), Adv. Geom. **21** (2021), 281–292, DOI:10.1515/advgeom-2020-0022.

The Hilbert curve of a 4-dimensional scroll with a divisorial fiber, (with A. L. Tironi), Taiwanese J. Math. **24** (2020), 31–41, DOI: 10.11650/tjm/190206.

Hilbert curves of quadric fibrations, Int. J. Math. **29** (2018), art. 1850067 (20 pages), DOI: 10.1142/S0129167X18500672.

A property of Hilbert curves of scrolls over surfaces, Comm. Algebra **46** (2018), 5320–5329, DOI: 10.1080/00927872.2018.1464169.

Hilbert curves of 3-dimensional scrolls over surfaces, J. Pure Appl. Algebra **222** (2018), 139–154, DOI: 10.1016/j.jpaa.2017.03.008.

Typeset by $\mathcal{A}\mathcal{M}\mathcal{S}$ - \TeX

- HC-equivalence vs numerical equivalence for ample line bundles on surfaces*, Rend. Circ. Mat. Palermo, II ser. **66** (2017), 113–123, DOI: 10.1007/s12215-016-0271-9.
- Osculation for conic fibrations*, (with R. Mallavibarrena), J. Pure Appl. Algebra **220** (2016), 2852–2878.
- Hilbert surfaces of bipolarized varieties*, (with M. C. Beltrametti and M. Lavaggi), Rev. Roum. Math. Pures Appl. **60** (2015), 281–319.
- Inflectional loci of quadric fibrations*, (with R. Mallavibarrena and R. Piene), J. Algebra **441** (2015), 363–397; DOI:10.1016/j.jalgebra.2015.06.023. *Corrigendum*, ibidem **508** (2018), 589–591.
- Characterizing scrolls via the Hilbert curve*, Int. J. Math. **25** (2014), art. 1450101 (17 pages).
- Adjunction and singular loci of hyperplane sections, II*, (with M. C. Beltrametti and A. J. Sommese), Rend. Circ. Mat. Palermo, II ser. **63** (2014), 247–255.
- Adjunction and singular loci of hyperplane sections*, (with M. C. Beltrametti and A. J. Sommese), J. Math. Soc. Japan **67** (2015), 861–875.
- A notion of Δ -multigenus for certain rank two ample vector bundles*, (with E. Arrondo and C. Novelli), Kodai Math. J. **36** (2013), 137–153.
- Inflectional loci of scrolls over smooth, projective varieties*, (with R. Mallavibarrena and R. Piene), Indiana Univ. Math. J. **61** (2012), 717–750.
- Geometry of rays-positive manifolds*, (with M. C. Beltrametti, A. L. Knutsen, and C. Novelli), Collect. Math. **63** (2012), 375–391.
- The variety of bad zero-schemes*, (with G. M. Besana and S. Di Rocco), J. Pure Appl. Algebra **216** (2012), 1273–1281.
- Ample vector bundles and polarized manifolds of sectional genus three*, (with L. Benzo), Adv. Geom. **11** (2011), 623–636.
- Hilbert curves of polarized varieties*, (with M. C. Beltrametti and A. J. Sommese), J. Pure Appl. Algebra **214** (2010), 461–479.
- Low dimensional discriminant loci and scrolls*, (with R. Muñoz), Indiana Univ. Math. J. **58** (2009), 2205–2225.
- Ample vector bundles of small Δ -genera*, (with C. Novelli), J. Algebra **323** (2010), 671–697.
- Double covers of Del Pezzo manifolds and bielliptic curve sections*, (with H. Maeda), Interactions of Classical and Numerical Algebraic Geometry, G. M. Besana, S. Di Rocco, D. Bates, and C. Wampler eds, Contemp. Math., vol. 496, Amer. Math. Soc., Providence, 2009, pp. 265–281.
- Remarks on the Bordiga scrolls of degree ten*, (with V. Nannola), JP J. Alg. Numb. Theory Appl. **13** (2009), 209–219.
- Ample subvarieties and rationally connected fibrations*, (with M. C. Beltrametti and T. de Fernex), Math. Ann. **341** (2008), 897–926.
- Ample vector bundles with zero loci having a bielliptic curve section of low degree*, (with H. Maeda), Geom. Dedicata **131** (2008), 111–122.
- Varieties of small degree with respect to codimension and ample vector bundles*, (with C. Novelli), J. Math. Soc. Japan **60** (2008), 341–361.
- Projective manifolds of sectional genus three as zero loci of sections of ample vector bundles*, (with H. Maeda), Math. Proc. Camb. Phil. Soc. **144** (2008), 109–118.
- Inflectional loci of scrolls*, (with R. Mallavibarrena and R. Piene), Math. Z. **258** (2008), 557–564.
- Osculating properties of decomposable scrolls*, (with R. Mallavibarrena), Math. Nach. **282** (2009), 1548–1566.

- Discriminant loci of ample and spanned line bundles*, (with R. Muñoz), *J. Pure Appl. Algebra* **212** (2008), 808–831.
- Ample vector bundles with zero loci of small Δ -genera*, (with C. Novelli), *Adv. Geom.* **8** (2008), 227–256.
- Higher order bad loci*, (with G. M. Besana and S. Di Rocco), *J. Pure Appl. Algebra* **211** (2007), 414–427.
- Ample vector bundles with sections vanishing on submanifolds of sectional genus three*, (with H. Maeda), *Algebra, Geometry and their Interactions*, A. Corso, J. Migliore, C. Polini eds, *Contemp. Math.*, vol. 448, Amer. Math. Soc., Providence, 2007, pp. 165–182.
- On the birationality of the bicanonical map of a surface section of a threefold*, (with M. C. Beltrametti, C. Ciliberto, and A. J. Sommese), *Comm. Algebra* **35** (2007), 1627–1650.
- Ample vector bundles and Bordiga surfaces*, (with H. Maeda), *Math. Nachr.* **280** (2007), 302–312.
- Ample vector bundles with small $g - q$* , (with D. Fusi), *Comm. Algebra* **34** (2006), 2889–3008.
- Varieties with small discriminant variety*, (with R. Muñoz), *Trans. Amer. Math. Soc.* **358** (2006), 5565–5585.
- On the discriminant of spanned line bundles*, (with R. Muñoz), *Projective Varieties with Unexpected Properties. A volume in memory of Giuseppe Veronese*, De Gruyter, 2005, pp. 337–347.
- Ampiezza e varietà speciali*, Luigi Cremona (1830–1903), *Convegno di Studi matematici, Incontro di Studio N. 36*, Istituto Lombardo, 2005, pp. 99–117.
- Bad loci of free linear systems*, (with T. de Fernex), *Adv. Geom.* **6** (2006), 93–107.
- Semipolarized nonruled surfaces with sectional genus two*, (with A. Biancofiore and M. L. Fania), *Beitr. Alg. Geom.* **47** (2006), 175–193.
- Reducible hyperplane sections of threefolds: two components of sectional genus zero*, (with A. L. Tironi), *Kodai Math. J.* **27** (2004), 299–320.
- Ample vector bundles with zero loci of sectional genus two*, (with B. Gaiera), *Arch. Math.* **82** (2004), 495–506.
- On the adjunction mapping of very ample vector bundles of corank one*, (with M. Palleschi and A. J. Sommese), *Trans. Amer. Math. Soc.* **356** (2004), 2307–2324.
- Peculiar loci of ample and spanned line bundles*, (with G. M. Besana and S. Di Rocco), *Manuscr. Math.* **112** (2003), 197–219.
- Ample vector bundles with zero loci having a bielliptic curve section*, (with H. Maeda), *Collect. Math.* **54** (2003), 73–85.
- Ample vector bundles with zero loci having a hyperelliptic curve section*, (with A. J. Sommese), *Forum Math.* **15** (2003), 525–542.
- Jets of antimulticanonical bundles on Del Pezzo surfaces of degree ≤ 2* , (with R. Mallavibarrena), *Algebraic Geometry. A Volume in Memory of Paolo Francia*, De Gruyter, 2002, pp. 257–276.
- On the osculatory behavior of surface scrolls*, *Matematiche (Catania)* **55** (2000), 447–458, (2002).
- Osculatory behavior and second dual varieties of Del Pezzo surfaces*, (with R. Mallavibarrena), *Adv. Geom.* **1** (2001), 345–363.
- On reducible hyperplane sections of fourfolds*, (with A. L. Tironi), *J. Math. Soc. Japan* **53** (2001), 559–563.
- Elliptic surfaces and ample vector bundles*, (with H. Maeda), *Pacif. J. Math.* **200** (2001), 147–157.
- Special varieties in adjunction theory and ample vector bundles*, (with H. Maeda), *Math. Proc. Camb. Phil. Soc.* **130** (2001), 61–75.

- Geometric genera for ample vector bundles with regular sections*, Rev. Mat. Complut. **13** (2000), 33–48.
- Higher order dual varieties of generically k -regular surfaces*, (with R. Mallavibarrena), Arch. Math. **745** (2000), 75–80.
- Discriminant loci of varieties with smooth normalization*, (with M. Palleschi and A. J. Sommese), Comm. Algebra **28** (2000), 4179–4200; Erratum, ibidem **31** (2003), 2027–2028.
- Higher order dual varieties of projective surfaces*, (with R. Mallavibarrena), Comm. Algebra **27** (1999), 4827–4851.
- Ample vector bundles and Del Pezzo manifolds*, (with T. de Fernex), Kodai Math. J. **22** (1999), 83–98.
- Ample vector bundles of curve genus one*, (with H. Maeda), Canad. Math. Bull. **42** (1999), 209–213.
- On higher order embeddings and n -connectedness*, (with M. Beltrametti and S. Di Rocco), Math. Nachr. **201** (1999), 37–51.
- Scrolls over surfaces allowing quadric bundle structures over curves are the expected ones*, Istituto Lombardo (Rend. Sc.) **A 132** (1998), 3–13.
- Elliptic surfaces with a nef line bundle of genus two*, (with C. Turrini), Collect. Math. **49** (1998), 361–381.
- Two comparison theorems for special varieties*, (with P. D’Ambros), Kyushu J. Math. **52** (1998), 403–412.
- Double covers of some Fano manifolds as hyperplane sections*, (with G. Occhetta), Math. Nachr. **193** (1998), 93–110.
- Fibrati ampi e varietà speciali*, Seminari di Geometria 1996 - 1997, S. Coen ed., Univ. Bologna, 1998, pp. 137–154.
- 2-very ampleness for adjoint bundles of ample and spanned vector bundles on surfaces*, (with H. Maeda), Math. Z. **225** (1997), 355–371.
- Geometrically ruled surfaces as zero loci of ample vector bundles*, (with H. Maeda), Forum Math. **9** (1997), 1–15.
- Del Pezzo surfaces as hyperplane sections*, (with M. Palleschi and A. J. Sommese), J. Math. Soc. Japan **49** (1997), 501–529.
- Ample vector bundles with sections vanishing on surfaces of Kodaira dimension zero*, Matematiche (Catania) **51** (1996), Suppl., 115–125, (1997).
- Ruled surfaces with small class*, (with F. Tonoli), Comm. Algebra **24** (1996), 3501–3512.
- Ample and spanned vector bundles with minimal curve genus*, (with H. Maeda and A. J. Sommese), Arch. Math. **66** (1996), 141–149.
- Ample vector bundle characterizations of projective bundles and quadric fibrations over curves*, (with H. Maeda), Higher Dimensional Complex Varieties (Proc. Trento 1994), M. Andreatta and T. Peternell eds, De Gruyter, Berlin - New York, 1996, pp. 247–259.
- On the discriminant locus of an ample and spanned line bundle*, (with M. Palleschi and A. J. Sommese), J. reine angew. Math. **477** (1996), 199–219.
- On some special Fano manifolds*, (with C. Sacchi), Beiträge z. Alg. Geom. **37** (1996), 87–101.
- Ample vector bundles with sections vanishing on projective spaces or quadrics*, (with H. Maeda), Intern. J. Math. **6** (1995), 587–600.
- On the class of an elliptic projective surface*, Arch. Math. **64** (1995), 359–368.
- Projective surfaces with class less than or equal to twice the degree*, (with C. Turrini), Math. Nachr. **175** (1995), 199–207.

- Double covers of \mathbb{P}^n as very ample divisors*, (with M. Palleschi and A. J. Sommese), Nagoya Math. J. **137** (1995), 1–32.
- Small degree covers of \mathbb{P}^n and hyperplane sections*, Scritti in onore di Giovanni Melzi, a cura di C. F. Manara, M. Faliva e M. Marchi, Vita e Pensiero, Milano, 1994, pp. 231–248.
- Numerically positive divisors on algebraic surfaces*, (with B. Rondena), Geom. Dedicata **53** (1994), 145–154.
- Double covers of smooth hyperquadrics as ample and very ample divisors*, Abh. Math. Sem. Univ. Hamburg **64** (1994), 97–103.
- On triple covers of \mathbb{P}^n as very ample divisors*, (with M. Palleschi and A. J. Sommese), Classification of Algebraic Varieties (Proceedings L'Aquila, 1992), C. Ciliberto, E. L. Livorni and A. J. Sommese eds, Contemporary Mathematics, vol. 162, Amer. Math. Soc., 1994., pp. 277–292.
- 2-spanned surfaces of sectional genus six*, Ann. Mat. pura appl., (4) **165** (1993), 197–216.
- A lower bound for sectional genera of ample and spanned vector bundles on algebraic surfaces*, (with F. Russo), Proc. Amer. Math. Soc. **119** (1993), 1053–1059.
- A footnote to a paper by Noma*, (with F. Russo), Rend. Mat. Acc. Lincei, (9) **4** (1993), 131–132.
- Adjoint bundles of ample and spanned vector bundles on algebraic surfaces*, (with H. Maeda), J. reine angew. Math. **433** (1992), 181–199.
- Ample and spanned vector bundles of sectional genera three*, (with A. Biancofiore and E. L. Livorni), Math. Ann. **291** (1991), 87–101.
- On projective surfaces arising from an adjunction process*, (with M. Andreatta), Japanese J. Math. **17** (1991), 285–298.
- Ample and spanned rank-2 vector bundles with $c_2 = 2$ on complex surfaces*, (with E. Ballico), Arch. Math. **56** (1991), 611–615.
- Triple solids with sectional genus three*, (with E. L. Livorni), Forum Math. **2** (1990), 297–306.
- Complex projective surfaces of nonnegative Kodaira dimension polarized by an ample and spanned line bundle of genus four*, (with M. Palleschi), Indiana Univ. Math. J. **39** (1990), 85–104.
- Pluriadjoint bundles of polarized surfaces*, Monatsh. für Math. **109** (1990), 69–77.
- Polarized surfaces with hyperelliptic sections*, (with A. Biancofiore and M. L. Fania), Pacif. J. Math. **143** (1990), 9–24.

Selected papers published before 1990

- Adjunction properties of polarized surfaces via Reider's method*, (with M. Palleschi), Math. Scand. **65** (1989), 175–188.
- Very ampleness of $K_X \otimes \mathcal{L}^{\dim X}$ for ample and spanned line bundles \mathcal{L}* , (with M. Palleschi and A. J. Sommese), Osaka J. Math. **26** (1989), 647–664.
- A vector bundle characterization of \mathbb{P}^n* , (with A. J. Sommese), Abh. Math. Sem. Univ. Hamburg **58** (1988), 89–94.
- Polarized surfaces of Δ -genus two*, Ann. Mat. pura appl., (4) **151** (1988), 317–329.
- Complex projective surfaces with hyperelliptic hyperplane sections*, Seminar in Complex Analysis and Geometry 1987, Univ. Calabria, J. Guenot and D. Struppa eds, EditEl, 1988, pp. 1–28.
- On the 2 and the 3-connectedness of ample divisors on a surface*, (with M. Beltrametti), Manuscr. Math. **58** (1987), 109–128; Erratum, ibidem **59** (1987), 130.
- Projective manifolds containing many rational curves*, (with M. Palleschi), Indiana Univ. Math. J. **36** (1987), 857–865.

- Projective threefolds with small class*, (with C. Turrini), Abh. Math. Sem. Univ. Hamburg **57** (1987), 103–117.
- Projective 7-folds with positive defect*, (with D. Struppa), Compositio Math. **61** (1987), 329–337.
- Algebraic surfaces containing an ample divisor of arithmetic genus two*, (with M. Beltrametti and M. Palleschi), Ark. Mat. **25** (1987), 189–210.
- Projective manifolds whose topology is strongly reflected in their hyperplane sections*, (with D. Struppa), Geom. Dedicata **21** (1986), 357–374.
- On the class of a projective algebraic surface*, Arch. Math. **45** (1985), 79–85.
- Some topological conditions for projective manifolds with degenerate dual varieties*, (with D. Struppa), Atti Accad. Naz. Lincei, Rend. Cl. Sc. Mat. Fis. Nat., (8) **77** (1984), 155–158.
- Algebraic surfaces containing a smooth curve of genus $q(S)$ as an ample divisor*, Geom. Dedicata **17** (1984), 189–197.
- About the adjunction process for polarized algebraic surfaces*, (with M. Palleschi), J. reine angew. Math. **352** (1984), 15–23.
- Characterizing projective bundles by means of ample divisors*, (with M. Palleschi), Manuscr. Math. **45** (1984), 207–218.
- Some formulas concerning non-singular algebraic varieties embedded in some ambient variety*, (with C. Turrini), Atti Acc. Sc. Torino, Rend. Cl. Sc. Fis. Mat. Nat. **116** (1982), 463–474.
- Sulle superfici di grado sette*, Istituto Lombardo (Rend. Sc.) **A 115** (1981), 171–189.
- On the adjoint system to a very ample divisor on a surface and connected inequalities, I*, (with M. Palleschi), Atti Accad. Naz. Lincei, Rend. Cl. Sc. Mat. Fis. Nat. (8) **71** (1981), 66–67; II, ibidem, 166–175.
- On the existence of scrolls in \mathbb{P}^4* , Atti Accad. Naz. Lincei, Rend. Cl. Sc. Mat. Fis. Nat. (8) **69** (1980), 223–227.
- Degenerations of compact orientable surfaces and their classification*, (with D. Struppa), Rend. Sem. Mat. Brescia **3** (1978), 119–141.
- Un atlante differenziabile delle grassmanniane reali e questioni di orientabilità*, Istituto Lombardo (Rend. Sc.) **A 109** (1975), 337–347.

OTHER WRITINGS

- Carlo Felice Manara, la congettura di Chisini e la geometria dei sistemi lineari*, Atti Acc. Naz. Sc. Lett. Arti Modena (VIII) **15** (2012), 31–54.
- Carlo Felice Manara, Geometra e Maestro*, Istituto Lombardo Acc. Sc. Lett. (to appear).
- Commemorazione di Carlo Felice Manara*, (with M. Marchi), La Matematica nella Società e nella Cultura - Rivista della Unione Matematica Italiana (I) **5** (2012), 31–56.

EDITED VOLUMES

- Geometry of Complex Projective Varieties (Cetraro, Italy, 1990)*, (with M. Palleschi and D. C. Struppa), Mediterranean Press, 1993.
- Algebraic Geometry. A Volume in Memory of Paolo Francia*, (with M. C. Beltrametti, F. Catanese, C. Ciliberto, and C. Pedrini), de Gruyter, 2002.